



OTSEN EMERGENCY CEILING LIGHT

The Otsen Emergency Ceiling Light is a robust and reliable emergency lighting solution designed for demanding environments such as Residential, Hotels, Hospitality, Commercial, Offices, and Schools. Featuring 13W LED lights, this unit provides powerful illumination during power outages. It boasts an IP65 rating, ensuring protection against dust and water. The emergency light offers a 3-hour backup duration and requires 24 hours for a full charge. Constructed with durable polycarbonate housing (white base, bezel and opal diffuser) it ensures longevity and stability.

Application Areas

- Residential
- Hotels
- Hospitality
- Commercial
- Offices
- Schools

R.O.P Approved
PACDA Approved




Product Features

- Highly efficient LED light source.
- IP65 High Protection Level
- 3 Hour Emergency Duration
- 72 pcs SMD LED
- Polycarbonate Housing (white base, bezel and opal diffuser)
- self test option available
- 24 hours charging time
- available with mains only switchable maintained operation

Product & Information

Product Data	Model Number	OT- CL- A
	Product Colour	White
	Body Material	PC
	Product Size	320mmx100mm
	Wattage	13W
	Product Style	Wall/Ceiling Mounted
Technical Data	Input Wattage	AC230-240V, AC/50-60Hz
	Lighting Source	72pcs SMD LED
	Luminous Flux	>1300LM
	Operation Mode	Maintained / Non-Maintained
	Battery Type	Ni-Cd 4.8V 900mAh
	Emergency Time	> 3 Hours
Protection and Cetification	Charging Time	< 24 hours
	Type of Protection	IP 65
	Cetification	CE
	ROP Approved	Yes
	Auto Test	Yes

Dimension



OT - CL - A





© 2023 OTSEN UK PVT. LTD. all rights reserved. OTSEN reserves the right to make changes in specifications and / or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

www.otsen.co.uk