

OTSEN LED GARDEN BOLLARD

The OTSEN Waylite series garden light features a robust main body crafted from die-casting aluminum alloy complemented by extruded aluminum alloy, ensuring durability and a sleek appearance. With a power output of 40W, this garden light provides efficient illumination. Its offering high efficiency and resistance to vandalism. The OTSEN garden light is designed for all-weather performance, boasting an IP66 rating for water and rust proof protection, and an IK08 rating for housing protection, making it an ideal choice for outdoor environments.

Application Areas

- Walkways
- Parks / Gardens
- Car parking
- Prestigious
- Retail



Product Features

- Main body is made of Die-casting aluminum alloy with Extruded aluminum alloy.
- The diffuser is a clear anti-UV PC for high efficiency and vandal resistance.
- Easy access to LED and driver via a removable head.
- 2700-6500K color temperature options.
- Tamper proof fixings for increased vandal resistance
- Anti-UV electrostatic powder spraying, regular color : Black, Silver, RAL7043, RAL7016.
- IP66 rating water and rust proof protection.
- IK08 rating housing protection.

Product & Information

Product Data	Model Number	OT-GL-LED-028
	Model Name	OTSEN WAYLITE LED GARDEN BOLLARD
	Product Colour	Black, Grey
	Body Material	Heavy-Duty Aluminium
	Wattage	10W, 15W, 20W, 25W
	Product Style	Garden Light
Technical Data	Input Wattage	AC85-265V, AC/50-60Hz
	Lighting Source	Cree LED, Lumileds
	Luminous	110 Lumen/Watt
	Color Temperature	6500K, 5000K, 4000K, 3000K
	Color Rendering Index	Ra>80
	Safety Class	Class I
	Power Factor	0.95
	Type of Protection	IP 66
	Warranty	5 Years
	Life span	50000 hrs.
IK Rating	IK08	

Wattage and Lumens

Item No.	LED	Lumens	Wattage	CCT	CRI
OT-GL-LED-028-10W	Lumileds2835	1000Lm	10W	2700-6500K	≥80
OT-GL-LED-028-15W	Lumileds2835	1500Lm	15W	2700-6500K	≥80
OT-GL-LED-028-20W	Lumileds2835	2000Lm	20W	2700-6500K	≥80
OT-GL-LED-028-25W	Lumileds2835	2750Lm	25W	2700-6500K	≥80

Product Dimension



Die casting heatsink




Injection PC diffuser




Die casting reflector



Anti-glare board



Light Distribution





© 2023 OTSEN UK PVT. LTD. all rights reserved. OTSEN reserves the right to make changes in specifications and / or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

www.otsen.co.uk