

WAYLITE SERIES



LED
Wall Washer

OTSEN LED INGROUND WALL WASHER

The OTSEN LED Inground Wall Washer light is a high-performance lighting solution equipped with a Cree chip delivering an impressive 110 lumens per wattage. Designed for durability and efficiency, this Wall Washer light ensures superior brightness and energy savings. It features an IP67 protection rating, making it highly resistant to dust and water penetration, ideal for challenging outdoor environments. Suitable for a wide range of applications, the OTSEN Wall Washer light is perfect for illuminating buildings external area, residential areas, and public parks, providing reliable and efficient lighting for enhanced safety and visibility.

Application Areas

- Building
- Residential Area
- Commercial
- Pathway
- Parking Area





Product Features

- Highly efficient LED light source.
- IP67 High Protection Level
- Die-casting Aluminium Material
- Clear Tempered Glass Diffuser Material
- Antiglare System Leverages
- 110 Lumen / Watt
- Distinctive Asymmetric Lighting Distribution
- IK Rating IK09
- Premium components with Cree Chip.


Product & Information

| | | |
|-----------------------|-----------------------|----------------------------|
| Product Data | Model Number | OT-ING-0124 |
| | Product Colour | Grey & Black |
| | Body Material | Die-casting Aluminium |
| | Wattage | 15W, 18W, 20W, 24W, 30W |
| | Beam Angle | 20°, 25°, 30° |
| | Product Style | Inground Linear Light |
| Technical Data | Input Wattage | DC 24V / AC220V |
| | Lighting Source | Cree LED |
| | Luminous Flux | 110 Lumen/W |
| | Color Temperature | 6500K, 5000K, 4000K, 3000K |
| | Color Rendering Index | Ra>85 |
| | Working Temperature | -20°C~ +50°C |
| | Safety Class | Class I |
| | Power Factor | 0.95 |
| | Type of Protection | IP 67 |
| | Warranty | 5 Years |
| | Life span | 50000 hrs. |
| IK Rating | IK09 | |


Product Details & Size



Product Structural Design



Cutout Size : L1005*W65*H90mm ±1mm





© 2023 OTSEN UK PVT. LTD. all rights reserved. OTSEN reserves the right to make changes in specifications and / or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

www.otsen.co.uk